



Conners' Adult ADHD Rating Scales–Self-Report: Long Version (CAARS–S:L)

By C. Keith Conners, Ph.D., Drew Erhardt, Ph.D., and Elizabeth Sparrow, Ph.D.

Interpretive Report

| | |
|---------------------------|------------------|
| Client Name or ID: | ABC |
| Age: | 20 |
| Gender: | Male |
| Duration: | 5 minutes |
| Administration Date: | January 03, 2017 |



Copyright © 2002 Multi-Health Systems Inc. All rights reserved.
P.O. Box 950, North Tonawanda, NY 14120-0950
3770 Victoria Park Ave., Toronto, ON M2H 3M6

Summary of Scores

The following table summarizes BT's scores and gives general information about how he compares to the normative group. More interpretive data are provided later in this report.

| Measure | Raw Score | T-Score | Guideline | Common Characteristics of High Scorers |
|---|-----------|---------|---|--|
| Inattention/Memory Problems | 24 | 67 | Moderately atypical (indicates significant problem). | Difficulties may include trouble concentrating, difficulty planning or completing tasks, forgetfulness, absent-mindedness, being disorganized. |
| Hyperactivity/Restlessness | 24 | 60 | Slightly atypical (borderline: should raise concern). | Difficulties may include problems with working at the same task for long periods of time, feeling more restless than others seems to be, fidgeting. |
| Impulsivity/Emotional Lability | 23 | 65 | Mildly atypical (possible significant problem). | Difficulties may include engaging in more impulsive acts than others do, low frustration tolerance, quick and frequent mood changes, feeling easily angered and irritated by people. |
| Problems with Self-Concept | 11 | 61 | Mildly atypical (possible significant problem). | Difficulties may include poor social relationships, low self-esteem and self confidence. |
| DSM-IV: Inattentive Symptoms | 18 | 83 | Markedly atypical (indicates significant problem). | Behave in a manner consistent with the Inattentive Subtype of ADHD, described in the DSM-IV. |
| DSM-IV: Hyperactive-Impulsive Symptoms | 16 | 72 | Markedly atypical (indicates significant problem). | Behave in a manner consistent with the Hyperactive-Impulsive Subtype of ADHD, described in the DSM-IV. |
| DSM-IV: ADHD Symptoms Total | 34 | 83 | Markedly atypical (indicates significant problem). | Behave in a manner consistent with the DSM-IV diagnostic criteria for Combined type ADHD. |
| ADHD Index | 24 | 68 | Moderately atypical (indicates significant problem). | Identifies individuals 'at risk' for ADHD |
| Inconsistency Index | 1 | N/A | Probably valid. | High scores indicate that the participant may have been responding haphazardly, may have been unmotivated, and/or may have been trying to distort his or her results. |